


## MIRAFLEX II DECKING SYSTEM 7/8" Exterior Cement Plaster/Stucco THESE DETAILS ARE FOR REFERENCE ONLY AND over metal lath and paper MUST BE REVIEWED BY A DESIGN PROFESSIONAL Plywood Shear Paneling or Backerboard REFERENCE GUIDELINE Continuous Bead of Approved Sealant Miracote MiraGard color bond sealer Miracote MPC decorative finish coats STUD Miracote Membrane A, Fabric-Reinforced in WALL two lifts to yield 25-30 mils DFT applied neat. Expanded Metal Galvanized Lath #1.75 Drywall Interior Finish 26 GA Sheet Metal Flashing Set in Approved Sealant Primed with Miraflex Stucco Building Paper Membrane B Miracote MiraPatch RM 3 or Lath Mortar 7" Stucco Screed (Weep Screed) Plywood Sheathing \*SLOPE: 1/4" PER FT Metal Staple ½" x 1" (22 PER SF) Continous Bead of Sealant Flashing Nails @ 3" O.C. in a staggered pattern

## PLYWOOD:

Exterior grade 5/8" sheathing fully blocked, glued and screwed, no deflection.



Plywood Substrate at Wood or Metal Stud Wall Detail #3B

\* FALL TO BE AWAY FROM THE

STUD WALL